

Heavy Vehicle Specialist Certificate

Heavy Vehicle Specialist Inspector and Inspecting Organisation

Heavy Vehicle Specialist Inspector's Nam		ARKE		ID Car
Vehicle Registration*	VIN / Chass	sis Number	038B1	023008
Component being certified:	Cha	ssis Modification	Load Anchorage	Log Bolsters
Certification Category	Tow	ing Connection	Brakes	SRT
LIVER				
Description of Work				
COMPLIANCE COM				
Code/Standard Certified to HUBNZ 3205/2 S General Drawing Number(s)	cheo 5.	Compone	nt Load Rating(s)	
~\/P	· · · · · · · · · · · · · · · · · · ·		- 11 12 	• · · · · · · · · · · · · · · · · · · ·
Supporting Documents BRAKE PESIGN CERT PRED EXEMPTION R				
*Special Conditions				
WARRANG HAMP MUST IC	LLIMINATE W	2HEN 6101	mon is suit	CHEO ON+THEN
EXTRICUISH IMPEDA	tery or wi	AEN CEH	ice exceeds	5 7 KPH.
Certification Expiry Date (if applicable)		or Hubodom	eter Reading (whichever co	mes first)
Declaration I the undersigned, declare that I am the	•	Designer's	ID (if certified by a manufact	turer)
Specialist Inspector identified above and appointment. I certify that the above me component's design, manufacture and in	entioned vehicle nstallation, and this	Inspector's		
certification complies in all respects wit	,	Sec gale	Name (PRINT IN CAPS)	
Rule Vehicle Standards Compliance 2002 Appointment. To the best of my knowled		Date	Num	her
contained in this Certificate is true and	·		D-201	388717
COF Vehicle Inspector ID:	COF Vehicle In	spector Signature	·	

All fields excluding those marked with * must be completed before this certificate can be accepted.

WABCO START-UP PROTOCOL									
System	Trailer EBS-E	WABCO part number	480 102 080 0 897000054800L						
Production date	2011-04-08	Serial number							
Fingerprint Customer EOL / Customer Development / Flash Program	W 039897 / 2011-10-28 ; 00000000 / 0000-00-00 ; 00000000 / 0000-00-00								

										~		CUCUADO TUCO	0.0007 .010.11			
5	VA	B	E U				TF	RAIL	ER E	BS	_ ⊢ ∥	GVS/ADR TUEH TI 61-041-08 ECE	B 2007 - 019.00			
HERSTELL MANUFAC CONSTRU	ER TURER CTEUR	DOI	VIETT				\neg	GIO		Pin′	1	Pin3	_	Pin	4	
TYPE TYPE 3AX B FRONT			1													
FAHRZEUG CHASSIS N	UMBER	_	7A90	20038	R102	3008	┪	3								
BREMSBE	E CHASSIS RECHNUNGS A	IR.	TP50				\dashv	4								
	LCULATION NO E FREINAGE N AHNEZAHL c-d EL TEETH c-d				BS-System BS-System		4	5	DIAG			DIAG		DIAG		
POLE WHE DENTS RO	EL TEETH c.d UE DENTÉE c.d Enclacabered	d e-f	80	s	BS-System /stême ABS	4S/2M	4	6								
RSS RSS RSS	Single Tire Monte simple	,		Lenkachse Steering axle Essieu vireur	•			7								
RSS	Zwillingsbere Twin Tire Monte jumele		Х	Kippkritisches Critical Trailer Véhicule critiq			\Box				-					
Subsy	stems			1/	0					Li	<u> </u>					
		-				61	, ,			ΣD			殷 本	(bai	r)	
	pm (t	oar)	6.5	pm	(bar)	0.6	2.	0	6.5				(a) -1.	1.0	Pz	
ACHSE AXLE ESSIEU	u±g>∞	\square	(0)	jet _i ‰	Ų,	3	(0)		pz		TYP TYPE	(mm)	(mm)	TR (daN	3)	
1	1500	0.5	2.5			0.5	1.	8	6.1	•	14 / 24	57	80	321	3088	
2	1500	0.5	2.5		_		1.	+	6.1	-	14 / 24	57	80	321	3088	
<u>3</u>	1500 0	0.5	2.5	7000		-	1.		6.1	-	14	60	80	321	3088	
5	0			0	+=					- 1		 				
Ů		<u> </u>			1											
Diagnostic memory OK						Warning lamp control OK										
Parameter setting carried out					Stop	light	power sup	ply	Not tes	Not tested						
EBS pressure test Not tested					Lifting axle test No					Not tested						
Redundancy test OK					ECA:	S dist	ance sense	or calibration	Not tested							
ABS sensor assignment OK						Dista	nce s	ensor Axie	load calibr.	Not tested						
RTR check Not tested						Leak	test			Not tested						
Immobilizer test Not tested					Signa	al out _l	outs TEBS		Not tested							
Dison	netic n	namo:	n/ E1 =	No.	toete	۸			0:	ئندماه			1			
TailGUARDlight Not tested					-		outs ELEX		Not tested							
ianot	ומאאי	yııı		No	teste	<u> </u>			TailGUARD				Not tested			
w																
Manuel		_							1							

Manufacturer	DOMETT .	Vehicle ident. no	7A9C20038B1023008			
Vehicle type	3AX B FRONT	Odometer reading	0.0 km			
next Service	0 km	Trip reading	0.0 km			
Tested by	Chris Clarke					
Date	2011-10-28 8:59:32 a.m.	Signature				
	,.					



Document: Exemption:

A1223146 HVB11/238 Level 9, PSIS House 20 Ballance Street PO Box 5084 Lambton Quay Wellington 6145 New Zealand T 64 4 894 5200 F 64 4 894 3305

EXEMPTION FROM SPECIFIED REQUIREMENTS OF LAND TRANSPORT RULE: Heavy-vehicle Brakes 2006, Rule 32015

www.nzta.govt.nz

Pursuant to Section 166(1) of the Land Transport Act 1998, and pursuant to the powers delegated to me, I Jackie Hartley, Administrator (Assessments) hereby exempt the motor vehicle specified in Schedule 1 hereto from the section of Land Transport Rule: Heavy-vehicle Brakes 2006 (the Rule) listed in Schedule 2, subject to the conditions specified in Schedule 3.

SCHEDULE 1:

Make/Model: Domett Truck & Trailer Ltd, 3 Axle Semi-Trailer (B-Front)

VIN/CHASSIS: 7A9C20038B1023008

SCHEDULE 2: - Exempted Requirement

Section 2.3(9); The parking brake of a vehicle, whether or not it is being operated as a combination vehicle, must be able to be applied by the driver from the normal driving position using one control only.

SCHEDULE 3: - Conditions of this exemption:

- 1) The vehicle must be fitted with a Wabco park-release emergency valve (PREV), Part Number: 971 002 900 0.
- The vehicle must be fitted with the Wabco PREV name plate, Part Number 971 002 103 4, adjacent to the PREV.
- The vehicle must still be fitted with a parking brake that complies with all parking brake requirements in the Rule other than the requirement in Clause 2.3(9) of the Rule.
- The installation of the PREV must be approved in writing by Transport Specialties Limited (Transpecs) or an NZ Transport Agency appointed HVEK certifier acting on behalf of, and under instruction from, Transpecs; Transpecs must keep a written record of all approvals.
- 5) An HVEK certifier in 4) must be fully trained in end of line procedures for Wabco electronically controlled braking systems
- Transpecs must provide full operator training in the use of the PREV and furnish the operator with full written operating instructions for the PREV.
- 7) The vehicle must not be modified in any way while operating under this exemption.
- 8) This original exemption must be kept by Transport Specialties Ltd.
- 9) A copy of this exemption (printed on a silver WABCO Sticker) must be affixed to the exempted vehicle as close to the WABCO PREV as possible.
- The sticker in 8) must be legible and include all printed areas of this original exemption letter
- This exemption can be revoked at any time in writing by the NZ Transport Agency.

Signed at Wellington this 16th day of September 2011.

Jackie Hartley

Administrator (Assessments)