

# Heavy Vehicle Specialist Certificate

Heavy Vehicle Specialist Inspector and Inspecting Organisation

Heavy Vehicle Specialist Inspector's Name	_		į <b>I</b> E	)
CH	RIS CLARKE	e desiges agentage to the control of		(3C
Vehicle Registration*	VIN / Chassis Numl	ber 3501	1 8 1 9	23011
Component being certified:	Chassis Mod	lification Lo	oad Anchorage	Log Bolsters
	Towing Con	nection VBr	rakes	SRT
Certification Category	, johning com			
HUEK.				
Description of Work				
CARRY OUT SET UF	OF TRAVER	335 SYSTE	عر اسا دوس	PIAXE
WITH THE WZ HEAU				
	No. 2 ya			· · · · · · · · · · · · · · · · · · ·
	nogerous No. Ay or a great to the second	and the second s		
	. None of the second of the se			
Code/Standard Certified to		Component Load R	ating(s)	
HUBUZ 32015/2 3	1HEO 5	·		
General Drawing Number(s)	<u></u>	alla		
AL.	:			
Supporting Documents				
Brake DEDICA CERTIFIC	PAR - THING	ns		
PREU EXEMPTION RE			·	
*Special Conditions		, , , , , , , , , , , , , , , , , , , ,	•	· · · · · ·
WARNING LAMP HUST ILL	Commente WHEN'S	السحر احتمالت	THE ON	tTHGJ
SAINGUSH IMMEDIATELY				
Certification Expiry Date (if applicable)	or	Hubodometer Read		
Na		· · · · · · · · · · · · · · · · · · ·		
Declaration		Designer's ID (if certi	ified by a manufacture.	
I the undersigned, declare that I am the H	leavy Vehicle	besigners to arcent	nea by a manaracturer)	
Specialist Inspector identified above and I		Inspector's / Delega	nes Signature	<b>/</b>
appointment. I certify that the above mer		2/2		
component's design, manufacture and ins		Delegate's Name (	PRINT IN CAPS)	
certification complies in all respects with Rule Vehicle Standards Compliance 2002			ŕ	
Appointment. To the best of my knowledg		Date	Number	
contained in this Certificate is true and co		17.10.201	,	00704
			5	88704
COF Vehicle Inspector ID:	COF Vehicle Inspecto	or Signature:	Date	

All fields excluding those marked with \* must be completed before this certificate can be accepted.



Document: Exemption:

A1223153 HVB11/241 Level 9, PSIS House 20 Ballance Street PO Sox 5084 Lambton Quay Wellington 6145 New Zealand T 64 4 894 5200 F 64 4 894 3305

# EXEMPTION FROM SPECIFIED REQUIREMENTS OF LAND TRANSPORT RULE: Heavy-vehicle Brakes 2006, Rule 32015

www.nzta.govt.nz

Pursuant to Section 166(1) of the Land Transport Act 1998, and pursuant to the powers delegated to me, I Jackie Hartley, Administrator (Assessments) hereby exempt the motor vehicle specified in Schedule 1 hereto from the section of Land Transport Rule: Heavy-vehicle Brakes 2006 (the Rule) listed in Schedule 2, subject to the conditions specified in Schedule 3.

## **SCHEDULE 1:**

Make/Model: VIN/CHASSIS:

Domett Truck & Trailer Ltd, 4 Axle Full Trailer

7A9D35011B1023011

SCHEDULE 2: - Exempted Requirement

**Section 2.3(9)**; The parking brake of a vehicle, whether or not it is being operated as a combination vehicle, must be able to be applied by the driver from the normal driving position using one control only.

## SCHEDULE 3: - Conditions of this exemption:

- The vehicle must be fitted with a Wabco park-release emergency valve (PREV), Part Number: 971 002 900 0.
- 2) The vehicle must be fitted with the Wabco PREV name plate, Part Number 971 0 2 103 4, adjacent to the PREV.
- The vehicle must still be fitted with a parking brake that complies with all parking brake requirements in the Rule other than the requirement in Clause 2.3(9) of the Rule
- The installation of the PREV must be approved in writing by Transport Specialties Limited (Transpecs) or an NZ Transport Agency appointed HVEK certifier acting on behalf of, and under instruction from, Transpecs; Transpecs must keep a written record of all approvals.
- 5) An HVEK certifier in 4) must be fully trained in end of line procedures for Wabco electronically controlled braking systems
- Transpecs must provide full operator training in the use of the PREV and furnish the operator with full written operating instructions for the PREV.
- 7) The vehicle must not be modified in any way while operating under this exemption.
- 8) This original exemption must be kept by Transport Specialties Ltd.
- 9) A copy of this exemption (printed on a silver WABCO Sticker) must be affixed to the exempted vehicle as close to the WABCO PREV as possible.
- The sticker in 8) must be legible and include all printed areas of this original exemption letter.
- 11) This exemption can be revoked at any time in writing by the NZ Transport Agency.

Signed at-Wellington this 16th day of September 2011.

Jackie Hartley

Administrator (Assessments)

HVBR WORKSHEET (PROCEDURE & COMPLIANCE DOCUMENTATION SHEET)

	CERTIF	FICATE No.	JH1	11005					
CUSTOMER NAME	DO	ER LTD							
CUSTOMER ORDER No.	3676/BC	3676/BC DATE RECEIVED							
VEHICLE TYPE	4	4 AXLE FULL TRAILER							
•	HASSIS No.	023011							
BRIEF SPEC	L	N AS CERTI	FIED TO	HVBR					
BRAKE CHAMBERS: Type: 14HSCLD64-1604 Type: 1416HTLD64-160									
	Valve Setting	g: EBS CON 3 <u>4</u> 5 7	NTROL						
FRICTION LINING: (All) Lining Brand	OEM JURID 539	Aftermarket							
EBS CONTROL: SPECIAL CO	NDITIONS API	PLY - SEE INST	RUCTION O	N 1.T400					
VALVES: AS PER DATA SHI	EET ATTACHE	D							
TYRE SIZE: 265 70 R 19.5		·							
NOTES PACKING SLIP NO.	TBA "	PR	OCESS TIMI	E: 1					
COMPLETION DATE: 12 <sup>th</sup> O	ctober 2011	SIGNATU	RE						

# Statement of Compliance with the New Zealand Heavy Brake Rule

Documentation required to support Statements of Compliance with the New Zealand Heavy Brake Rule, to be made available to the Statutory Authority on request, must include all calculations and test reports.

# Confirmation of compliance

I confirm that the vehicle identified on page 1 of this Statement of Compliance complies with all relevant requirements of the current New Zealand Heavy Vehicle Brake Rule 32015/2 Schedule 5.

Date:

17th October 2011

Signed:

## Certifier's identification

Name: Chris Clarke

Phone (bus):

(09) 980 7300

Fax (bus):

(09) 980 7306

Postal address:

Transport Specialties, Cnr Kerrs & Ash Roads

Wiri, Auckland, PO Box 98 971 Manukau City 2241

Position: CJC

# Confirmation of continued compliance of modification

I confirm the brake system of the vehicle identified on page 1 of this Statement of Compliance as modified by myself, continues to comply with all the relevant requirements of the current New Zealand Heavy Vehicle Brake Rule 32015/2, Schedule 5,

Date: 17-10-2011

Certifier's identification:

Name:

Phone (bus): (09) 980 7300

Fax (bus): (09) 980 7306

Postal address: Transport Specialties Ltd

Cnr Kerrs & Ash Roads, Wiri, Auckland

PO Box 98 971, Manukau City 2241

1	W	A	B(	20		STA	R	Γ-UP	PR	OT	OCOL							
Sys	stem					Trai	ier E	BS-E			WABCC	part num	ber	480	102 064 (	)		
Pro	ductio	on da	te			201	1-03	-04			Serial n	umber		896	00108640	0M		
_	erprint C elopment			Custome m	r	W 0	3989	97 / 201	11-10-	·17 ; C	0000000 /	0000-00-0	0;00	0000	000 / 0000	-00-00		
V	VA	B	H				TF	RAILI	ER E	BS	_  -	GVS/ADR TUEH	B 2007	- 019.0	)	1		
HERSTELL MANUFAC CONSTRU	ER Turer		METT					GIO		Pin'		Pin	3		Pi	in4		
TYP TYPE TYPE			4AX	F/T			⇥	1 2				101						
FAHRZEUG CHASSIS 1			7A9E	35011	B102	3011		3		ALS	2	ALS	2	-				
BREMSBE	RECHNUNGS-N LICULATION NO E FREINAGE NO	R. ). ).	TP50	543				4										
POLRADZA POLE WHE	AHNEZAHL 0-d EEL TEETH 0-d ) UE DENTÉE 6-d	e-f	90	90 ÅB	8-System 8-System stème ABS	4S/3M		6		DIA	<u> </u>	DIA	G		DIAG			
R88	Einfachbereif Single Tire Monte simple	ung		Lenkachse Steering axie Essieu vireur				7				===						
RSS RSS	Zwillingsbare Twin Tire Monte jumelė	ifung e	Х	Kippkritisches F Critical Trailer Vehicule critique	-							-	1	Ø				
Subsy	Twin Tro Want Jumelee X Ripperfutcher Faller Valicule critique  Ubsystems   1/0		0					III										
	Monte almpha					578			20			<b>8</b>	*	<b>(</b> ) (b)	ar)			
ACHSE	pm (bar)		6.5	pm	(bar)	0.7	2.		6.5			<b>™</b>		<b>.</b>	1.0	Pz		
AXLE ESSIEU		$\mathcal{I}$	(0)	l‡l∾	$\Box$		(0)		pz		TYP TYPE	(mm)	(m	ım)	TR (da	N)		
1			1.9	7500	4.9		1.		6.6	-	14	64	6		513	4169		
3			+		4.9 4.9	+	1. 1.		6.6 5.1	-	14 / 16	64 64	6		513 513	4169 3190		
4	1200	0.5			4.9		1.		5.1	-	14 / 16	64	6		513	3190		
5	0			0					*	-			**	-				
Diagn	ostic n	nemor	y	ок					Warn	ning la	mp contro	1		οĸ				
Paran	neter se	etting		carr	ied ou	ıt			Stop	light	power sup	ply	Vot te	ested				
EBS p	ressur	e test		Not	testec	<u>i</u>			Liftin	ng axle test N				Vot te	ot tested			
Redu	ndancy	test		ОК					ECA	S dista	ance senso	r calibratio	Vot te	ested				
ABS s	sensor	assig	nment	ОК					Dista	ince s	ensor Axle	load calibr	. 1	Vot te	sted			
RTR c	heck			Not	teste	d			Leak	_eak test					Not tested			
lmmo	bilizer (	test		Not	teste	d			Signal outputs TEBS Not						tested			
Diagn	ostic m	emor	y ELE	Not	tested	l	Signal outputs ELEX							Vot te	ot tested			
TailGl	JARDII	ght		Not	teste	d			TailG	UAR	)			Not tested				
Manut	facture	г		DON	/ETT				Ve	ehicle	ident. no		7A9[	0350	1B1023011			
Vehic	le type			4AX	F/T				0	domet	er reading		0.0 k	m				
1         1600         0.8         1.9         7500           2         1600         0.8         1.9         7500           3         1200         0.5         1.2         7500           4         1200         0.5         1.2         7500           5         0           0           Diagnostic memory         OK           Redundancy test         OK           ABS sensor assignment         OK           RTR check         Not te           Immobilizer test         Not te           Diagnostic memory ELE)         Not te           TailGUARDlight         Not te           Manufacturer         DOM!           Vehicle type         4AX F           next Service         0 km				1				Tr	Trip reading 0.0				(m/					
Teste	d by			Chris	s Clar	ke						<u>'</u>		$\supset$				
Date	*	99	-	2011	I-10-1	7 3:35	:36 p	.m.				Sign	atur	$\stackrel{\frown}{e}$	Ser			



P.O.Box 98-971

# South Auckland Mail Centre

C Clarke (CJC)

* *				
DATE	13-Oct-11	BRAKE SYSTEM	24V WABCO	TEBS
	JH111005	PREV EXEMPTION	HVB11/241	
CERT. NO.	JH111003			
VIN / CHASSIS	7A9D35011B102	3011	-	
BRAKE CHAMBERS FRONT	14HSCLD64-160	4 (TSE max stroke 64mm)	•	
BRAKE CHAMBERS REAR				
S'_ACK LENGTH FRONT	69mm	TYRE SIZE FRONT	265 70 R 19	.5
SLACK LENGTH REAR	69mm	TYRE SIZE REAR	265 70 R 19	.5
THIS VEHICLE COMPLIES V	VITH THE NZ	LINING MATERIAL FRONT	JURID 539	
HVBR 32015/2 - SCHEDULE		LINING MATERIAL REAR	JURID 539	
		<del>-</del>		

V	VA	B	CC	)			TR	AILE	RE	BS-	E '	GGVS/AD TDB 074		TE 2007 · (	)19.00	
HERSTELLER MANUFACTURER CONSTRUCTEUR CONSTRUCTEUR						[	SIO	Pin1			Pin3 .			Pin4		
TYP	CTEUR						-	1				<b></b>				
TYPE TYPE		4AX F/T						2			i i					
FAHRZEUG IDENTNR. CHASSIS NUMBER NUMERO DE CHASSIS OF TA9D35011B1023011							3		ALS2		ALS2					
	RECHNUNGS NI		TP50	15/13				4							<u>.                                    </u>	
CALCUL	DE FREINAGE NO	).	1 5 30		ABS-System		[	5	D	AG		DIAG	1	DIA	\G	
POLE WH	ÄHNEZAHL c-d   EEL TEETH c-d   DUE DENTÉE c-d	e-f	90	Tan 🖟	ABS-System Systeme ABS	S/3M		6							-	
RSS RSS RSS	Einfachbereif Single Tire Monte simple	- 1		Lenkachse Steering axle Essieu vireur				7							-	
	Zwillingsbere Twin Tire Monte jumelé	ъ	X	Kippkritische Critical Traile Véhicula criti	r que								🎖 🖟			
Subs	ystems		· · · · · · · · · · · · · · · · · · ·		I/O ]					00				(0)	(bar)	
	pm (bar) 6.5		5 pm	pm (bar) 0.7		2.0			6.5		<u> </u>		1.0	Pz		
ACHSE AXLE ESSIEU	<b>1</b> (kg)	É	(0)	<del></del>			(0)		pz		TYP TYPÉ	(mm)	(mm)	TR (	daN)	
1	1600	0.8	1.5	9 750	0 4.9	0.3	1.5		6.6	-	14	64	69	513	4169	
2	1600	0.8	1.	9 750	0 4.9	0.3	1.5		6.6	-	14	64	69	513	4169	
3	1200	0.5	1.	2 750	0 4.9	0.3	1.5		5.1	-	14 / 16	64	69	513	3190	
4	1200	0.5	1	2 750	0 4.9	0.3	1.5		5.1	-	14 / 16	64	69	513	3190	
		+	<del></del>	- 0	1	1	1	1								



Document: Exemption: HVB11/241

Box 3084 La Mari Conty Bestan I T 53 801 500-

#### EXEMPTION FROM SPECIFIED REQUIREMENTS OF LAND TRANSPORT RULE: Heavy-vehicle Brakes 2006, Rule 32015

Pursuant to Section 166(1) of the Land Transport Act 1998, and pursuant to the powers delegated to me, Hackie Hartley, Administrator (Assessments) hereby exempt the motor vehicle specified in Schedule 1 hereto from the section of Land Transport Rule. Heavy vehicle Brakes 2006 (the Rule) listed in Schedule 2, subject to the conditions specified in Schedule 3.

## SCHEDULE 1:

Make/Model: Domett Truck & Trailer Ltd, 4 Axie Full Trailer VIN/CH4SSIS. 7A9D35011B1023011

#### SCHEDULE 2: - Exempted Requirement

Section 2.3(9): The parking brake of a vehicle, whether or not it is being operated as a combination vehicle, must be able to be applied by the driver from the normal driving position using one control only

## SCHEDULE 3: - Conditions of this exemption:

- The vehicle must be fitted with a Wabco park-release emergency valve (PREV), Part Number: 971-002-900-0.
- The vehicle must be fitted with the Wabco PREV name plate, Part Number 971 002 103 4, 2) adjacent to the PREV.
- \*The vehicle must still be fitted with a parking brake that complies with all parking brake requirements in the Rule other than the requirement in Clause 2.3(9) of the Rule. 3)
- The installation of the PREV must be approved in writing by Transport Specialties Limited (Transports) or an NZ Transport Agency appointed HVEK certifier acting on behalf of, and under instruction from, Transports, Transports must keep a written record of all approvals 4)
- An HVEK certifier in 4) must be fully trained in end of line procedures for Wabco electronically controlled braking systems 5)
- Transpecs must provide full operator training in the use of the PREV and furnish the operator 6) with full written operating instructions for the PREV
- 7) The vehicle must not be modified in any way while operating under this exemption.
- 8) This original exemption must be kept by Transport Specialties Ltd.
- A copy of this exemption (printed on a silver WABCO Sticker) must be affixed to the exempted vehicle as close to the WABCO PREV as possible. 9)
- The sticker in 8) must be legible and include all printed areas of this original exemption 10)
- This exemption can be revoked at any time in writing by the NZ Transport Agency. 11)

Signed at-Wellington this 16" day of September 2011. June 5

Jackie Hartley

Administrator (Assessments)