



Heavy Vehicle Specialist Certificate

Heavy Vehicle Specialist Inspector and Inspecting Organisation

Heavy Vehicle Specialist Inspector's Name (PRINT IN CAPS)

BRUCE SUTTON

ID

BJS

Vehicle Registration*

VIN / Chassis Number

7 A 9 E 3 8 1 1 4 C 1 0 2 3 0 4 2

Component being certified:

Chassis Modification

Load Anchorage

Log Bolsters

Certification Category

HVS2

Towing Connection

Brakes

SRT

Description of Work

Certify 5 axle full trailer SRT

Code/Standard Certified to

NZTA Rule 41001

Component Load Rating(s)

X1 = 4.25m / Y1 = 35 tonnes

Y2 = 35 tonnes / X2 = 4.25m

General Drawing Number(s)

Supporting Documents

SRT Compliance Cert # S508

*Special Conditions

As Above

Certification Expiry Date (if applicable)

or

Hubodometer Reading (whichever comes first)

Declaration

I the undersigned, declare that I am the Heavy Vehicle Specialist Inspector identified above and I hold a current valid appointment. I certify that the above mentioned vehicle component's design, manufacture and installation, and this certification complies in all respects with the Land Transport Rule Vehicle Standards Compliance 2002 and my Deed of Appointment. To the best of my knowledge the information contained in this Certificate is true and correct.

Designer's ID (if certified by a manufacturer)

Inspector's / Delegate's Signature

*Delegate's Name (PRINT IN CAPS)

Date

10/10/2012

Number

379948

COF Vehicle Inspector ID:

COF Vehicle Inspector Signature:

Date

All fields excluding those marked with * must be completed before this certificate can be accepted.



Static Roll Threshold Compliance Certificate

Name of vehicle owner: TD Haulage Ltd
Address: 100 Newton Street, Mount Maunganui
SRT Compliance Certificate no: S508
Vehicle Identification No.(VIN): 7A9E38114C1023042
Vehicle chassis No: 1042
Current vehicle registration:
Type of vehicle: Full-Trailer
No of axles in front set: 2 No of axles in rear set: 3
Deck length of vehicle: 9.8 metres
Maximum height of load or vehicle body: 4.25 metres
Front suspension type: User Defined
Rear suspension type: User Defined

I, **Bruce Sutton** of **Domett Truck and Trailer, PO Box 5215, Mt Maunganui** certify that at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type:	Uniform density	Description: Assumes load mass is centred midway vertically between load bed and load height.
---------------------------	-----------------	---

At a max. load height of 4.25 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.36g

This vehicle meets or exceeds the minimum SRT standard of 0.35g.

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.25 metres / Y1 = 35 tonnes ; Y2 = 35 tonnes / X2 = 4.25 metres.
--

The type of test carried out to establish this rating was: LTSA SRT Calculator Version 1.32c

Summary Input Data used for calculation.

Tyre Data:

Axle	Tyre Size:	Tyre Configuration:
1	19.5	Dual
2	19.5	Dual
3	22.5	Wide Single
4	22.5	Wide Single
5	22.5	Wide Single

Body Style is Step deck

Inputs	Front	Rear
Load bed height (m):	1.46	1.04
Deck length (m):	3.77	6.03

Mass and Suspension Data:

Inputs	Front	Rear
Gross mass (kg):	16000	19000
Payload mass (kg):	12420	15580
Tare mass (kg):	3580	3420
Average load bed height (m):	1.2	
Average load height (m):	4.25	
Suspension type:	User Defined	User Defined
Suspension track width (m):	0.98	1.2
Lash (mm):	104	104
Suspension brand/model:	ROR CS9	ROR CS9
Roll stiffness/axle (Nm/radian):	2197000	2690000
Spring stiffness/spring (N/m):	128000	128000
Roll centre height from axle (m):	0.035	0.035

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed:

Vehicle Inspector/Inspecting Organisation No **BJS**
SRT Compliance Certificate no:

Name: **Bruce Sutton**

Date: **10/10/2012**
S508