

## Heavy Vehicle Specialist Certificate

Heavy Vehicle Specialist Inspector and Inspecting Organisation

BRULE SUTTON				BJS
ehicle Registration*	VIN / Chassis N	SHANCE CONTRACTOR OF THE PROPERTY OF THE PROPE	1001	1023099
omponent being certified:	Chassis 1	Modification	Load Anchora	ge Log Bolster
ertification Category HVS 2	Towing (	Connection .	Brakes	SRT
escription of Work CeA.C	1- SRT-	4axle.	full to	ailer
		$\rightarrow$		
ode/Standard Certified to		Component Los		
VZTA Ruk 41001: 2002		A DESIGNATION OF THE PROPERTY		= 25 tonnes
eneral Drawing Number(s)		12= 30	tonnes/	X2= 3.97m
cheral brawing Number(s)				
upporting Documents	Compliance		# S5	40
upporting Documents SAT	Compliance			40
Special Conditions		Cert		
special Conditions  Pertification Expiry Date (if applicable)  Declaration	Above	Cert Hubodometer F	# S5	er comes fiest)
Expecial Conditions  Condition	Above Or Note Heavy Vehicle and I hold a current valid mentioned vehicle	Hubodometer F	# \$ 5	er comes filest)
pporting Documents  SAT  Special Conditions  ertification Expiry Date (if applicable)  Declaration  I the undersigned, declare that I am the Specialist Inspector identified above a appointment. I certify that the above component's design, manufacture and certification complies in all respects we	ne Heavy Vehicle and I hold a current valid mentioned vehicle installation, and this with the Land Transport	Hubodometer F	# S 5	er comes first)
pporting Documents  SAT  Special Conditions  ertification Expiry Date (if applicable)  Declaration  I the undersigned, declare that I am the Specialist Inspector identified above a	ne Heavy Vehicle and I hold a current valid mentioned vehicle installation, and this with the Land Transport 102 and my Deed of ledge the information	Designer's ID (iii) Inspector's / Delegate's Nar	Reading (whicheve	er comes filest)

PHONE 07 575 5139 07 575 5137



Static Roll Threshold Compliance Certificate

Name of vehicle owner:

Troy Slater Cartridge

Address:

SRT Compliance Certificate no:

Vehicle Identification No.(VIN):

7A9D30010D1023099

Vehicle chassis No:

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

No of axles in rear set:

Deck length of vehicle:

8.2 metres

Maximum height of load or vehicle body:

4.25 metres

Front suspension type:

User Defined

Rear suspension type:

User Defined

I, Bruce Sutton of Domett Truck and Trailer, PO Box 5215, Mt Maunganui certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type: Uniform density Description: Assumes load mass is centred midway. vertically between load bed and load height.

At a max, load height of 4.25 metres and a max, allowable gross mass of 30 tonnes, the SRT is 0.33g This vehicle fails to meet the minimum SRT standard of 0.35g. It will meet the standard if:

- At maximum load height of 4.25 metres, the maximum allowable gross mass is 25.4 tonnes.
- At maximum gross mass of 30 tonnes, the maximum allowable load height is 3.97 metres.

The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m)
30	3.97
29	4.02
28	4.08
27	4.13
26	4.2
25	4.25

Note: Calculated load heights greater than the legal limit of 4.25m have been set to 4.25m

Results of SRT test to be displayed on Certificate of Loading	Yes and the
X1 = 4.25  metres / Y1 = 25  tonnes; $Y2 = 30  tonnes / X2 = 3.97  metres$ .	N C

The type of test carried out to establish this rating was: LTSA SRT Calculator Version 1.32c

## Summary Input Data used for calculation.

## Tyre Data:

Tyre Size:	Tyre Configuration:
19.5	Dual
19.5	Dual
19.5	Dual
2	Dual
	19.5 19.5 19.5

Body Style is Standard

## Mass and Suspension Data:

Inputs	Front	Rear
Gross mass (kg):	15000	15000
Payload mass (kg):		12340
Tare mass (kg):	3120	2660
Average load bed height (m):	1.	15
Average load height (m):	4.25	
Suspension type:	User Defined	User Defined
Suspension track width (m):	0.94	0.94
Lash (mm):	90	90
Suspension brand/model:	SAF INTRADISC IU28- 2005RZ	SAF INTRADISC IU28- 2005RZ.
Roll stiffness/axte (Nm/radian):	वि 1200000	1200000
Spring stiffness/spring (N/m):	470000	470000
Roll centre height from axle (m):	0.05	0.05

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed: 6

Vehicle Inspector/Inspecting Organisation No BJS

Vare of

SRT Compliance Certificate no:

Name: Bruce Sutton

Variation 1

2 10 10 10

Date: 5/3/2013

S540