

New Zealand Government

Heavy Vehicle Specialist Certificate

Heavy Vehicle Specialist Inspector and Inspecting Organisation

Heavy Vehicle Specialist Inspector's Name (PRINT IN CAPS) BRUCE SUTTOW			577
ehicle Registration*	VIN / Chassis N	lumber	D102317
omponent being certified:	Chassis	Chassis Modification Load Anch	
ertification Category HVS 2	Towing	Connection Brakes	SRT
escription of Work Centily	SRT- 5	axle full	taller
ode/Standard Certified to N2TA Rule 41001: 200	2	Component Load Ratin $X (= 4.25m)$	
MARKATER TO THE TEXT OF THE PROPERTY OF THE	新 斯克斯	12= 35 T	/x2 = 4.25m
eneral Drawing Number(s)		Load Tipe	Uniform Deneity
upporting Documents			Uniform Density
unnorting Documents	mplance	Load Type Cert # S5	
unnorting Documents			
upporting Documents SAT Co		Cen+ # 85	560
upporting Documents SAT Co		Ce+# S5	560
Special Conditions As Above		Ce+# S5	(whichever comes first)
Special Conditions A Above Sertification Expiry Date (if applicable)	Heavy Vehicle	Cent # S.5 Hubodometer Reading Designer's ID (if certified)	(whichever comes first) by a manufacturer)
Special Conditions Sertification Expiry Date (if applicable) Declaration I the undersigned, declare that I am the I Specialist Inspector identified above and appointment. I certify that the above me	Heavy Vehicle I hold a current valid intioned vehicle	Ce+ # \$5 Hubodometer Reading Designer's ID (if certified) Inspector's / Delegate's	(whichever comes first) by a manufacturer) s Signature
Special Conditions Sertification Expiry Date (if applicable) Declaration I the undersigned, declare that I am the I Specialist Inspector identified above and appointment. I certify that the above me component's design, manufacture and incertification complies in all respects with	Heavy Vehicle I hold a current valid Intioned vehicle Stallation, and this In the Land Transport	Cent # S.5 Hubodometer Reading Designer's ID (if certified)	(whichever comes first) by a manufacturer) s Signature
Special Conditions Sertification Expiry Date (if applicable) Declaration I the undersigned, declare that I am the I Specialist Inspector identified above and appointment. I certify that the above me component's design, manufacture and incertification complies in all respects with Rule Vehicle Standards Compliance 2002 Appointment. To the best of my knowled	Heavy Vehicle I hold a current valid ntioned vehicle stallation, and this in the Land Transport and my Deed of ge the information	Designer's ID (if certified Inspector's / Delegate's "Delegate's Name (PRIN) Date	(whichever comes first) by a manufacturer) Signature Number
Special Conditions Special Conditions Above Special Conditions Declaration I the undersigned, declare that I am the I Specialist Inspector identified above and appointment. I certify that the above me component's design, manufacture and incertification complies in all respects with Rule Vehicle Standards Compliance 2002	Heavy Vehicle I hold a current valid ntioned vehicle stallation, and this in the Land Transport and my Deed of ge the information	Designer's ID (if certified Inspector's / Delegate's "Delegate's Name (PRIN)	(whichever comes first) by a manufacturer) s Signature

DOMETT TRUCK & TRAILER LTD **Hewletts Road** PO Box 5215 Mount Maunganui **NEW ZEALAND**

PHONE 07 575 5139 07 575 5137



www.domett-trailers.co.nz

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

R & J Snowdon

Address:

SRT Compliance Certificate no:

S560

Vehicle Identification No.(VIN):

7A9E20018D1023178

Vehicle chassis No:

1178

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set: 2 No of axles in rear set: 3

Deck length of vehicle:

11.2 metres

Maximum height of load or vehicle body:

4.25 metres

Front suspension type:

User Defined

Rear suspension type:

User Defined

I, Bruce Sutton of Domett Truck and Trailer, PO Box 5215, Mt Maunganui certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load

Uniform

Description: Assumes load mass is centred midway

type:

density

vertically between load bed and load

At a max. load height of 4.25 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.35g

This vehicle meets or exceeds the minimum SRT standard of 0.35g.

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.25 metres / Y1 = 35 tonnes; Y2 = 35 tonnes / X2 = 4.25 metres.

The type of test carried out to establish this rating was: LTSA SRT Calculator Version 1.32e

Summary Input Data used for calculation.

Tyre Data:

E/Z

Axle	Tyre Size:	Tyre Configuration:
1	19.5	Dual
2	19.5	Dual
3	19.5	Dual
4	19.510 = 16	Dual
5		Dual

Body Style is Standard

Mass and Suspension Data:

Inputs	Front	Rear
Gross mass (kg):	16000	19000
Payload mass (kg):	12600	14700
Tare mass (kg):	3400	4300
Average load bed height (m):	1.08	
Average load height (m):	4.25	
Suspension type:	User Defined	User Defined
Suspension track width (m):	0.98	0.98
Lash (mm):	104	104
Suspension brand/model:	ROR CS9	ROR CS9
Roll stiffness/axle (Nm/radian):	2197000	2197000
Spring stiffness/spring (N/m):	128000	# 128000
Roll centre height from axle (m):	0.035	0.035

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed:

Vehicle Inspector/Inspecting Organisation No

BJS

SRT Compliance Certificate no:

Name: Bruce Sutton

V 事 : 源

V # * # 70

Date: 12/8/2013

S560 排