

# Heavy Vehicle Specialist Certificate

Must be presented to a Transport Service Delivery Agent Heavy Vehicle Specialist Inspector and Inspecting Organisation

Heavy Vehicle Specialist Inspector's Name (PRINT IN CAPS)  BRULE SUTTO	W		B	22
2	/ Chassis Num		170102	3209
Component being certified:	Chassis Mo	dification	Load Anchorage	Log Bolsters
	Towing Cor	nnection	Brakes	SRT
Certification Category  HVS 2.	PSV Stabili	ty	PSV Rollover	Swept Path
Description of Work Cedify 3R	27- 4	axle	full Trailer	(MC 1141 N N 2044
THE R. L. P. L. L. S. H. L. S. L. S. L. S. L. S. L. S. S. L. S.				SOUR FREE CARCINGGE
			The state of the second confidence of the seco	
				Longs on manage
POTENTIAL DE LA COMPANIA DE LA COMP				
Code/Standard Certified to  NZTA Rule 4(00): 2002  General Drawing Number(s)		12=30	oad Rating(s) 25m /1=24T >T/X2=3.94m >pe Uniform	
Supporting Documents	0	1 44 0		
SRT Complia	nce (	2+# 5	>6 [[	- 0 0 10 50 50
*Special Conditions As Above				The second second second second
Certification Expiry Date (If applicable)	or	Hubodometer	Reading (whichever comes first)	
Declaration  I the undersigned, declare that I am the Heavy Vehicle	e	Designer's ID	(if certified by a manufacturer)	
Specialist Inspector identified above and I hold a curre valid appointment. I certify that the above mentioned component's design, manufacture and installation, an certification complies in all respects with the Land Tra	vehicle d this ansport	Blue	Delegate's Signature spector's Name (PRINT IN CAPS)	ID number
Rule Vehicle Standards Compliance 2002 and my Dee Appointment. To the best of my knowledge the inform		Date	Number	e don't oden
contained in this Certificate is true and correct.		7/01/2	2014 445	5130
COF Vehicle Inspector ID: COF V	Vehicle Inspect		Date	

LT400

PHONE 07 575 5139 FAX 07 575 5137



www.domett-trailers.co.nz

# Static Roll Threshold Compliance Certificate

Name of vehicle owner:

Nupin Distributors Ltd

Address:

SRT Compliance Certificate no:

S611

Vehicle Identification No.(VIN):

7A9D35017D1023209

Vehicle chassis No:

1209

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

2

No of axles in rear set:

Deck length of vehicle:

7.0 metres

Maximum height of load or vehicle body:

4.25 metres

Front suspension type:

User Defined

Rear suspension type:

User Defined

I, Bruce Sutton of Domett Truck and Trailer, PO Box 5215, Mt Maunganui certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type: Uniform density Description: Assumes load mass is centred midway vertically between load bed and load height.

At a max. load height of 4.25 metres and a max. allowable gross mass of 30 tonnes, the SRT is 0.33g This vehicle fails to meet the minimum SRT standard of 0.35g. It will meet the standard if:

- At maximum load-height of 4.25 metres, the maximum allowable gross mass is 24.8 tonnes.
- At maximum gross mass of 30 tonnes, the maximum allowable load height is 3.94 metres.

The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m)	
30	3.94	
29	4	
28	4.05	
27	4.1	
26	4.16	
25	4.23	
24 4.25		

Note: Calculated load heights greater than the legal limit of 4.25m have been set to 4.25m

Results of SRT test to be displayed on Certificate of Loading		
X1 = 4.25  metres / Y1 = 24  tonnes; $Y2 = 30  tonnes / X2 = 3.94  metres$ .		

The type of test carried out to establish this rating was: LTSA SRT Calculator Version 1.32c

### Summary Input Data used for calculation.

### Tyre Data:

11

Axle	Tyre Size:	Tyre Configuration:
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	19.58	Dual
2	19.5	Dual
3	19.5	Dual
4	19.5	Dual

#### Body Style is Standard



Inputs	Front	Rear	
Gross mass (kg):	15000	15000	
Payload mass (kg):	± 11820 - ± ±	12520	
Tare mass (kg):	3180	2480	
Average load bed height (m):	1.24		
Average load height (m):	4.25		
Suspension type:	User Defined	User Defined	
Suspension track width (m):	0.99	0.99	
Lash (mm):	300	300	
Suspension brand/model:	Hendrickson AANT 23K	Hendrickson AANT 23K	
Roll stiffness/axle (Nm/radian):	1327085	1327085	
Spring stiffness/spring (N/m):	350000	350000	
Roll centre height from axle (m):	0.102	0.102	

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed:

Vehicle Inspector/Inspecting Organisation No BJS

SRT Compliance Certificate no:

Name: Bruce Sutton

1915

Date: 7/1/2014

S611