

Heavy Vehicle Specialist Certificate

Must be presented to a CoF (Heavy) Inspecting Organisation
 Heavy Vehicle Specialist Inspector and Inspecting Organisation

Heavy Vehicle Specialist Inspector's or Manufacturing Inspecting Organisation's Name (PRINT IN CAPS) ID
BRUCE SUTTON BJS

Vehicle Registration* VIN/Chassis Number
7A9E25011G1023458

Component being certified:

<input type="checkbox"/> Chassis	<input type="checkbox"/> Load Anchorage	<input type="checkbox"/> Log Bolsters
<input type="checkbox"/> Towing Connection	<input type="checkbox"/> Brakes	<input checked="" type="checkbox"/> SRT
<input type="checkbox"/> PSV Stability	<input type="checkbox"/> PSV Rollover	<input type="checkbox"/> Swept Path
<input type="checkbox"/> PBS		

Certification Category
HVS2

Description of Work Certify SRT- 5axle full Trailer

Code/Standard/Rule Certified to Component Load Rating(s)
NZTA Rule 41001:2002 $X1 = 4.25m / Y1 = 29T$
General Drawing Number(s) $Y2 = 35T / X2 = 3.98m$
Load Type: Uniform Density

Supporting Documents
SRT Compliance Cert # S801

Special Conditions*
As Above

Certification Expiry Date (if applicable) or Hubodometer Reading (whichever comes first)
[] [] [] [] [] [] [] []

Declaration

I the undersigned, declare that I am the Heavy Vehicle Specialist Inspector identified and I hold a current valid appointment. I certify that the above mentioned vehicle component's design, manufacture and installation, and this certification complies in all respects with the Land Transport Rule: Vehicle Standards Compliance 2002 and my Appointment. To the best of my knowledge the information contained in the Certificate is true and correct.

Designer's ID (if different from inspector below)
[] [] [] [] [] [] [] []

Inspector's Signature
[Signature]

Inspector's Name (PRINT IN CAPS) ID Number
[] [] [] [] [] [] [] []

Date Number
8/7/2016 540071

CoF Vehicle Inspector ID CoF Vehicle Inspector Signature Date
[] [] [] [] [] [] [] [] [Signature] [] [] [] [] [] [] [] []

All fields excluding those marked with * must be completed before this certificate can be accepted.

DOMETT TRUCK & TRAILER LTD**Physical Address**

189 Kennedy Road
Tauriko Business Estate
Tauriko

Postal Address

PO Box 9458
Greerton
Tauranga



PHONE 07 575 5139

FAX 07 575 5137

www.domett-trailers.co.nz

Static Roll Threshold Compliance Certificate

Name of vehicle owner: Stocklines Ltd

Address:

SRT Compliance Certificate no: S801

Vehicle Identification No.(VIN): 7A9E25011G1023458

Vehicle chassis No: 1458

Current vehicle registration:

Type of vehicle: Full-Trailer

No of axles in front set: 2 **No of axles in rear set:** 3

Deck length of vehicle: 11.28 metres

Maximum height of load or vehicle body: 4.25 metres

Front suspension type: User Defined

Rear suspension type: User Defined

I, **Bruce Sutton** of **Domett Truck and Trailer, PO Box 5215, Mt Maunganui** certify that at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:
Using standard load type: Uniform density Description: Assumes load mass is centred midway vertically between load bed and load height.

At a max. load height of 4.25 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.33g
This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

- (a) At maximum load height of 4.25 metres, the maximum allowable gross mass is 29.7 tonnes.
- or (b) At maximum gross mass of 35 tonnes, the maximum allowable load height is 3.98 metres.

The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m)
35	3.98
34	4.03
33	4.08
32	4.12
31	4.17
30	4.22
29	4.25

Note: Calculated load heights greater than the legal limit of 4.25m have been set to 4.25m

Results of SRT test to be displayed on Certificate of Loading
X1 = 4.25 metres / Y1 = 29 tonnes ; Y2 = 35 tonnes / X2 = 3.98 metres.

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.01c

Summary Input Data used for calculation.

Tyre Data:

Axle	Tyre Size:	Tyre Configuration:
1	19.5	Dual
2	19.5	Dual
3	19.5	Dual
4	19.5	Dual
5	19.5	Dual

Body Style is Standard

Mass and Suspension Data:

Inputs	Front	Rear
Gross mass (kg):	16000	19000
Payload mass (kg):	13180	15820
Tare mass (kg):	2820	3180
Average load bed height (m):	1.04	
Average load height (m):	4.25	
Suspension type:	User Defined	User Defined
Suspension track width (m):	0.94	0.94
Lash (mm):	90	90
Suspension brand/model:	SAF Intradisc IU28-2005RZ	SAF Intradisc IU28-2005RZ
Roll stiffness/axle (Nm/radian):	1200000	1200000
Spring stiffness/spring (N/m):	470000	470000
Roll centre height from axle (m):	0.05	0.05

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed: 

Name: **Bruce Sutton**

Vehicle Inspector/Inspecting Organisation No: **BJS**

Date: **8/7/2016**

SAF Compliance Certificate no:

S801