

Heavy Vehicle Specialist Certificate

Must be presented to a CoF (Heavy) Inspecting Organisation

Heavy Vehicle Specialist Inspector and Inspecting Organisation

| Heavy Vehicle Specialist Inspector's or Manufacturing Inspecting Organisa BRUCE SUTTON | CIOITS INATITE (PRIMITIN CAPS) | RIS |
|--|---|-------------------------|
| Vehicle Registration* VIN/Chassis Number | | |
| Component being certified: Chassis Towing Conne | Load Anchorage Brakes | Log Bolsters |
| Certification Category +\v\$ 2 PBS | PSV Rollover | Swept Path |
| Description of Work Certify SQT- 5 a | xle full Trailer | |
| | | |
| | | |
| Code/Standard/Rule Certified to | Component Load Rating(s) | |
| NZTA Rule 41001: 2002 | XI=4.25m/YI= 33 | |
| General Drawing Number(s) | 12= 35 T /x2=4.2 Load Type Uniform | |
| Supporting Documents SRT Comphance Cet # | ± S785 | |
| · | | |
| Special Conditions* As Above | | |
| Certification Expiry Date (if applicable) Or | Hubodometer Reading (whichever comes fir | st) |
| | | |
| Declaration | Designer's ID (if different from inspector below, |) |
| I the undersigned, declare that I am the Heavy Vehicle Specialist Inspector identified and I hold a current valid appointment. I | Inspector's Signature | |
| certify that the above mentioned vehicle component's design, manufacture and installation, and this certification complies in all respects with the Land Transport Rule: Vehicle Standards | Inspector's Name (PRINT IN CAPS) | ID Number |
| Compliance 2002 and my Appointment. To the best of my knowledge the information contained in the Certificate is true and correct. | Date Numbe | r |
| | 4/5/2016 | 5 4 005 9 |
| CoF Vehicle Inspector ID CoF Vehicle Inspector All fields excluding those marked with * must be com | | |

DOMETT TRUCK & TRAILER LTD

Physical Address 189 Kennedy Road Tauriko Business Estate Tauriko Postal Address PO Box 9458 Greerton Tauranga

PHONE 07 575 5139 FAX 07 575 5137



Static Roll Threshold Compliance Certificate

Name of vehicle owner:

Ongarue Transport Ltd

Address:

SRT Compliance Certificate no:

S785

Vehicle Identification No.(VIN):

7A9E25012G1023498

Vehicle chassis No:

1498

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

2

No of axles in rear set: 3

Deck length of vehicle:

10.37 metres

Maximum height of load or vehicle body:

4.25 metres

Front suspension type:

User Defined

Rear suspension type:

User Defined

I, Bruce Sutton of Domett Truck and Trailer, PO Box 5215, Mt Maunganui certify that at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load

Uniform

Description: Assumes load mass is centred midway

type:

density

vertically between load bed and load

height.

At a max. load height of 4.25 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.37g

This vehicle meets or exceeds the minimum SRT target of 0.35g.

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.25 metres / Y1 = 35 tonnes; Y2 = 35 tonnes / X2 = 4.25 metres.

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.01c



Summary Input Data used for calculation.

Tyre Data:

| | Axle | Tyre Size: | Tyre Configuration: |
|------|------------|--------------|---------------------|
| 13/0 | 1 586 | 19.5 | Dual |
| | 2 | 19.5 | Dual |
| | <i>x</i> 3 | 19.5 | Dual |
| | 4 | - HO 1950 HO | Dual |
| | 5 | CIO 1960 CIO | Dual |

Body Style is Standard

Mass and Suspension Data:

| | | (3- | |
|-----------------------------------|-------------------------|--------------|--|
| Inputs | (a) (a) (b) (c) (c) (d) | Rear | |
| Gross mass (kg): | 16000 | 19000 | |
| Payload mass (kg): | 11320 | 13020 | |
| Tare mass (kg): | 4680 | 5980 | |
| Average load bed height (m): | 1.04 | | |
| Average load height (m): | 4.25 | | |
| Suspension type: | User Defined | User Defined | |
| Suspension track width (m): | 0.98 | 0.98) | |
| Pash (mm): | 104 | 104 | |
| Suspension brand/model: | ROR CS9 | ROR CS9 | |
| Roll stiffness/axle (Nm/radian): | 2197000 | 2197000 | |
| Spring stiffness/spring (N/m): | 128000 | 128000 | |
| Roll centre height from axle (m): | 0.035 | 0.035 | |

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable Engineements in that rules and that to the best of my knowledge, the information in this certificate is true and correct

Vehicle Inspector/Inspecting Organisation No

SRT Compliance Certificate no:

Name: Bruce Sutton

Date: 4/5/2016