

New Zealand Government

Heavy Vehicle Specialist Certificate

Must be presented to a CoF (Heavy) Inspecting Organisation
Heavy Vehicle Specialist Inspector and Inspecting Organisation

Version No. 11/14

Heavy Vehicle Specialist Inspector's or Manufacturing Inspecting Organisation's Name (PRINT IN CAPS) BRUCE SUTTON					Š
Vehicle Registration*	V/Chassis Number			J	
	1A9 E 2	001	161	0 2 :	3 5 1 3
Component being certified:	Chassis		Load Anchorage	_	Log Bolsters
	Towing Connectio	n	Brakes		Y SRT
Certification Category	PSV Stability		PSV Rollover	-	Swept Path
HVS 2	PBS				
Description of Work Centily SA	27- 5a	xle -	full trai	ler	
	and the second s			nnoucoccobbbbb NNONSSSSS	
	and the second s	and significant contractions of the second contr		\$	
Code/Standard/Rule Certified to		omponent Load	anners ann an ann ann ann an ann an ann an ann an a	- 75	<i>-</i>
NZTA Rule 41001:2002	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW	Contraction of the Contraction o	25m/Y1 5T/X2:		
General Drawing Number(s)	J	oal Ty	pe: Unif	om I	ensity)
Supporting Documents			1		
SRT Compliance	C'ext # 5	808		66660000000000000000000000000000000000	
Special Conditions*					
As Above			(C) (C) (MEDIC) (C) (C) (C) (C) (C) (C) (C) (C) (C) (100 100 100 100 100 100 100 100 100 100	
Certification Expiry Date (if applicable)	or H	ubodometer Re	ading (whichever con	nes first)	
				السالس	
Declaration	D.	esigner's ID (ita	lifferent from inspector	below)	
I the undersigned, declare that I am the Heavy Vehicle Spo	ecialist In	spector's Signa	itura		
Inspector identified and I hold a current valid appointr certify that the above mentioned vehicle component's of	nent. I Jesign,	Ban			
manufacture and installation, and this certification co in all respects with the Land Transport Rule: Vehicle Sta	ndards ^{In}	spector's Nam	e (PRINT IN CAPS)		ID Number
Compliance 2002 and my Appointment. To the best knowledge the information contained in the Certificate	is true	ate	Ni	mber	J
and correct.		15/8/20	thickerisisis symposime film the best	Obstations of subsections are	078
			_	0 7 0	
CoF Vehicle Inspector ID	Vehicle Inspector Si	gnature	Date		
All fields excluding those marked wi		L. J.L. L. v. N.S.	and the standards		

Form ID

LT400

DOMETT TRUCK & TRAILER LTD

Physical Address 189 Kennedy Road Tauriko Business Estate Tauriko

Postal Address PO Box 9458 Greerton Tauranga

PHONE 07 575 5139 **FAX** 07 575 5137



www.domett-trailers.co.nz

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

Emmerson Transport Ltd

Address:

SRT Compliance Certificate no:

S808

Vehicle Identification No.(VIN):

7A9E20011G1023513

Vehicle chassis No:

1513

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

No of axles in rear set: 3

Deck length of vehicle:

12.03 metres

Maximum height of load or vehicle body:

4.25 metres

Front suspension type:

User Defined

Rear suspension type:

User Defined

I, Bruce Sutton of Domett Truck and Trailer, PO Box 5215, Mt Maunganui certify that at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load

Uniform

Description: Assumes load mass is centred midway

type:

density

vertically between load bed and load

height.


At a max. load height of 4.25 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.35g

This vehicle meets or exceeds the minimum SRT target of 0.35g.

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.25 metres / Y1 = 35 tonnes; Y2 = 35 tonnes / X2 = 4.25 metres.

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.01c



Summary Input Data used for calculation.

Tyre Data:

	Axle	(a) Frige Size:	Tyre Configuration:
1340	1 5810	19.5	Dual
	2	19.5	Dual
	× 3	495	Dual
	4	THO 1950 THO	Dual
		CHO COLO	Dual
_ ը	/_##		

Body Style is Standard

Mass and Suspension Data:

Inputs	(Tone	Rear		
Gross mass (kg):	16000	19000		
Payload mass (kg):	12580	14800		
Tare mass (kg):	3420	4200		
Average load bed height (m):	1.	08		
Average load height (m):	4.	25		
Suspension type:	User Defined	User Defined		
Suspension track width (m):	0.98	0.98		
Eash (mm):	104	104		
Suspension brand/model:	ROR CS9L	ROR CS9L		
Roll stiffness/axle (Nm/radian):	2197000	2197000		
Spring stiffness/spring (N/m):	128000	$-1\overline{28000}$		
Roll centre height from axle (m):	0.035	0.035		
Suspension brand/model: Roll stiffness/axle (Nm/radian): Spring stiffness/spring (N/m): Roll centre height from axle	104 ROR CS9L 2197000 128000	104 ROR CS9L 2197000 		

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that the applicable true and correct

Signed: Bulk

Vehicle Inspector/Inspecting Organisation No

BJS

SRT Compliance Certificate no:

Name: Bruce Sutton

Date: 15/8/2016

S808