

Heavy Vehicle Specialist Certificate

Must be presented to a CoF (Heavy) Inspecting Organisation
 Heavy Vehicle Specialist Inspector and Inspecting Organisation

Heavy Vehicle Specialist Inspector's or Manufacturing Inspecting Organisation's Name (PRINT IN CAPS) ID

SEAN MALLIN **SCM**

Vehicle Registration* VIN/Chassis Number

7A9E20011G1023527

Component being certified:

<input type="checkbox"/> Chassis	<input type="checkbox"/> Load Anchorage	<input type="checkbox"/> Log Bolsters
<input type="checkbox"/> Towing Connection	<input type="checkbox"/> Brakes	<input checked="" type="checkbox"/> SRT
<input type="checkbox"/> PSV Stability	<input type="checkbox"/> PSV Rollover	<input type="checkbox"/> Swept Path
<input type="checkbox"/> PBS		

Certification Category **HVS2**

Description of Work

CERTIFY SRT - 5 AXLE FULL TRAILER

Code/Standard/Rule Certified to Component Load Rating(s)

NZTA RULE 41001:2002 **X1 = 4.25m / Y1 31t**

General Drawing Number(s) **Y2 = 35t / X2 4.05m**

LOAD TYPE: UNIFORM DENSITY

Supporting Documents

SRT COMPLIANCE CERT # S821

Special Conditions*


AS ABOVE

Certification Expiry Date (if applicable) or Hubodometer Reading (whichever comes first)

Declaration

I the undersigned, declare that I am the Heavy Vehicle Specialist Inspector identified and I hold a current valid appointment. I certify that the above mentioned vehicle component's design, manufacture and installation, and this certification complies in all respects with the Land Transport Rule: Vehicle Standards Compliance 2002 and my Appointment. To the best of my knowledge the information contained in the Certificate is true and correct.

Designer's ID (if different from inspector below)

Inspector's Signature 

Inspector's Name (PRINT IN CAPS) ID Number

Date **06/10/2016** Number **540091**

CoF Vehicle Inspector ID CoF Vehicle Inspector Signature Date

All fields excluding those marked with * must be completed before this certificate can be accepted.



Static Roll Threshold Compliance Certificate

Name of vehicle owner: SCS Transport
Address:
SRT Compliance Certificate no: 540091
Vehicle Identification No.(VIN): 7A9E20011G1023527
Vehicle chassis No: 1527
Current vehicle registration:
Type of vehicle: Full-Trailer
No of axles in front set: 2 **No of axles in rear set:** 3
Deck length of vehicle: 12.18 metres
Maximum height of load or vehicle body: 4.25 metres
Front suspension type: User Defined
Rear suspension type: User Defined

I, Sean Mallin of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type: Uniform density Description: Assumes load mass is centred midway vertically between load bed and load height.

At a max. load height of 4.25 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.33g

This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

- (a) At maximum load height of 4.25 metres, the maximum allowable gross mass is 31.4 tonnes.
 - or (b) At maximum gross mass of 35 tonnes, the maximum allowable load height is 4.05 metres.
- The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m)
35	4.05
34	4.1
33	4.15
32	4.21
31	4.25

Note: Calculated load heights greater than the legal limit of 4.25m have been set to 4.25m

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.25 metres / Y1 = 31 tonnes ; Y2 = 35 tonnes / X2 = 4.05 metres.

"ENGINEERED TO PERFORM, BUILT TO LAST"

Summary Input Data used for calculation.

Tyre Data:

Axle	Tyre Size:	Tyre Configuration:
1	19.5	Dual
2	19.5	Dual
3	19.5	Dual
4	19.5	Dual
5	19.5	Dual

Body Style is Standard

Mass and Suspension Data:

Inputs	Front	Rear
Gross mass (kg):	16000	19000
Payload mass (kg):	12540	14780
Tare mass (kg):	3460	4220
Average load bed height (m):	1.08	
Average load height (m):	4.25	
Suspension type:	User Defined	User Defined
Suspension track width (m):	0.94	0.94
Lash (mm):	90	90
Suspension brand/model:	SAF Intradisc IU28/2005RZ	SAF Intradisc IU28/2005RZ
Roll stiffness/axle (Nm/radian):	1200000	1200000
Spring stiffness/spring (N/m):	470000	470000
Roll centre height from axle (m):	0.05	0.05

I certify that I am a vehicle inspector appointed under *section 2 of Land Transport Rule: Vehicle Standards Compliance 2002*. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct.

Signed: _____

Vehicle Inspector/Inspecting Organisation No
SCM

SRT Compliance Certificate no:

Name: **Sean Mallin**

Date: **6/10/2016**

540091