

Heavy vehicle specialist certificate

Must be presented to a CoF (heavy) inspecting organisation
Heavy vehicle specialist inspector and inspecting organisation

Heavy vehicle specialist inspector's or manufacturing inspecting organisation's name (PRINT IN CAPS) **BRUCE SUTTON** ID **BJS**

Vehicle registration (optional) _____ VIN/chassis number **7 A 9 D 1 5 0 1 3 J 1 0 2 3 7 6 0**

Make **DOMETT** Component being certified: Chassis Load anchorage

Model (optional) **2018 D1501** Log bolsters Towing connection Brakes

Certification category **HVS2** SRT PSV stability PSV rollover

Swept path PBS

Description of work

CERTIFY SRT - 4 AXLE FULL TRAILER

Code/standard/rule certified to **NZTA RULE 41001:2016** Component load rating(s) **X1 = 4.3m / Y1 = 24t**

General drawing number(s) _____ **Y2 = 30t / X2 = 3.95m**

LOAD TYPE: _____

Supporting documents

SRT COMPLIANCE CERT # S962

Special conditions (optional)


AS ABOVE

Certification expiry date (if applicable) _____ or Hubodometer reading (whichever comes first) _____

Declaration

I the undersigned, declare that I am the heavy vehicle specialist inspector identified and I hold a current valid appointment. I certify that the above mentioned vehicle component's design, manufacture and installation, and this certification complies in all respects with the Land Transport Rule: Vehicle Standards Compliance 2002 and my appointment. To the best of my knowledge the information contained in the certificate is true and correct.

Designer's ID (if different from inspector below) _____

Inspector's signature 

Inspector's name (PRINT IN CAPS) **BRUCE SUTTON** ID number **BJS**

Date **09-07-2018** Number **628583**

CoF vehicle inspector ID _____ CoF vehicle inspector signature _____ Date _____

All fields are mandatory unless otherwise stated.

DOMETT TRUCK & TRAILER LTD

Physical Address
 189 Kennedy Road
 Tauriko Business Estate
 Tauriko

Postal Address
 PO Box 9458
 Greerton
 Tauranga



PHONE 07 575 5139
FAX 07 575 5137

www.domett-trailers.co.nz

Static Roll Threshold Compliance Certificate

Name of vehicle owner: Carter Holt Harvey Ltd

Address:

SRT Compliance Certificate no: S962

Vehicle Identification No.(VIN): 7A9D15013J1023760_

Vehicle chassis No: 1760

Current vehicle registration:

Type of vehicle: Full-Trailer

No of axles in front set: 2 **No of axles in rear set:** 2

Deck length of vehicle: 9.5 metres

Maximum height of load or vehicle body: 4.3 metres

Front suspension type: User Defined

Rear suspension type: User Defined

I, **Bruce Sutton of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142** certify that at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type: Uniform density Description: Assumes load mass is centred midway vertically between load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 30 tonnes, the SRT is 0.32g
 This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

- (a) At maximum load height of 4.3 metres, the maximum allowable gross mass is 24.1 tonnes.
- or (b) At maximum gross mass of 30 tonnes, the maximum allowable load height is 3.95 metres.

The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m)
30	3.95
29	4.01
28	4.06
27	4.11
26	4.16
25	4.22
24	4.29

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.3 metres / Y1 = 24 tonnes ; Y2 = 30 tonnes / X2 = 3.95 metres.

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

Axle	Tyre Size:	Tyre Configuration:
1	19.5	Dual
2	19.5	Dual
3	19.5	Dual
4	19.5	Dual

Body Style is Standard

Mass and Suspension Data:

Inputs	Front	Rear
Gross mass (kg):	15000	15000
Payload mass (kg):	12300	12580
Tare mass (kg):	2700	2420
Average load bed height (m):	1.12	
Average load height (m):	4.3	
Suspension type:	User Defined	User Defined
Suspension track width (m):	0.94	0.94
Lash (mm):	90	90
Suspension brand/model:	SAF Intradisc IU33/2510RZ	SAF Intradisc IU33/2510RZ
Roll stiffness/axle (Nm/radian):	1200000	1200000
Spring stiffness/spring (N/m):	470000	470000
Roll centre height from axle (m):	0.05	0.05

I certify that I am a vehicle inspector appointed under *section 2 of Land Transport Rule: Vehicle Standards Compliance 2002*. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed: 

Vehicle Inspector/Inspecting Organisation No: **BJS**

SRT Compliance Certificate no:

Name: **Bruce Sutton**

Date: **9/7/2018**

S962