

Heavy vehicle specialist certificate

Must be presented to a CoF (heavy) inspecting organisation

Heavy vehicle specialist inspector and inspecting organisation

Heavy vehicle specialist inspector's or manufacturin CAMERON HARRIS	ig inspecting organisation	on's name (PRINT	IN CAPS)		ID	CN	Н
Vehicle registration (optional)	VIN/chassis numbe		1] 4] J) 2	3 7	6 5
Make DOMETT	Component being of	certified:	Chassis		of composite	Load	anchorage
Model (optional) 2018 E3501	Log bolsters		Towing connection		~	Brakes	
Certification category HVS2	X SRT Swept path		PSV stability	y	***	PSV	rollover
Description of work				. 1 - Pople Isheur			
Code/standard/rule certified to NZTA RULE 41001:2016		Component lo	oad rating(s) 4.3m / Y	1 = 29	9t		
General drawing number(s)			35t / X2 D TYPE:			I DFN	NSITY
Supporting documents SRT COMPLIANCE CERT 3	# S951						000000000000000000000000000000000000000
Special conditions (optional) AS ABOVE							
Certification expiry date (if applicable)	or	Hubodometer	reading (whicher	ver comes firs	it)		
Declaration		Designer's ID	(if different from ins	pector below.)		
I the undersigned, declare that I am the heavy vehice inspector identified and I hold a current valid ap certify that the above mentioned vehicle componen	pointment. I ent's design,	Inspector's sig	nature				
manufacture and installation, and this certification in all respects with the Land Transport Rule: Vehic Compliance 2002 and my appointment. To the knowledge the information contained in the certif	le Standards best of my		me (PRINT IN CAF		S	ID n	number V H
and correct.		Date 28-0	5-2018	Numbe		572	·
CoF vehicle inspector ID	CoF vehicle inspector	signature		Date			oneren en en en intrinsica de interiories
	CoF vehicle inspector	signature			52	8	28572

DOMETT TRUCK & TRAILER LTD

Physical Address 189 Kennedy Road Tauriko Business Estate Tauriko

Postal Address PO Box 9458 Greerton Tauranga

PHONE 07 575 5139 07 575 5137 FΔX



www.domett-trailers.co.nz

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

RIORDAN AND WEST

Address:

SRT Compliance Certificate no:

S951

Vehicle Identification No.(VIN):

7A9E35014J1023765

Vehicle chassis No:

1765

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

2

No of axles in rear set:

Deck length of vehicle:

7.3 metres

Maximum height of load or vehicle body:

4.3 metres

Front suspension type:

User Defined

Rear suspension type:

User Defined

I, Cameron Harris of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type: Uniform density

Description: Assumes load mass is centred midway vertically

between load bed and load height.

At a max, load height of 4.3 metres and a max, allowable gross mass of 35 tonnes, the SRT is 0.33g This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

- At maximum load height of 4.3 metres, the maximum allowable gross mass is 29.1 tonnes.
- At maximum gross mass of 35 tonnes, the maximum allowable load height is 3.99 metres. or (b) The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m)		
35	3.99		
34	4.04		
33	4.09		
32	4.14		
31	4.18		
30	4.24		
29	4.3		

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading
X1 = 4.3 metres / Y1 = 29 tonnes; $Y2 = 35 tonnes / X2 = 3.99 metres$.

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.10c



Summary Input Data used for calculation.

Tyre Data

Axle		
1	19.5	Dual
2 2	19.5	Dual
3		Dual
4	19.50 m	Dual
5	19.5	Dual

Body Style is Step deck

Inputs	Front	Rear
 Load bed height (m):	1205	0.983
Deck length (m):	2.98	4.62

Mass and Suspension Data:

Inputs	Front	Rear		
Gross mass (kg):	16000	19000		
Payload mass (kg):	12900	15560		
Tare mass (kg):	3100	3440		
Average load bed height (m):	1.	07		
yerage load height (m).	4	.3		
Suspension type:	User Defined	User Defined		
Suspension track width (m):	0.94	0.94		
Lash (mm):	90	90		
Suspension brand/model:	SAF Intradisc IU25/2000RZ-68A	SAF Intradisc IU25/2000RZ-68A		
Roll stiffness/axle (Nm/radian):	1200000	1200000		
Spring stiffness/spring (N/m):	470000	470000		
Roll centre height from axle (m):	0.05	0.05		

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards

Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct.

Signed:

Vehicle Inspector/Inspecting Organisation No CNH

SRT Compliance Certificate no:

Name: Cameron Harris

Date: 28/5/2018

S951



