

ANSPORT ENCY Heavy venicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

Heavy vehicle specialist inspector's or manufacturing in MATTHEW CONNOLLY	specting organisa	tion's name (PR	INT IN CAPS)	MHC
	VIN/chassis numb	er 3 1 0	1 8 K 1 0	2 3 9 1 1
Make DOMETT	Component being	g certified:	Chassis	Load anchorage
Model (optional) 2019 E3101	Log bolsters		Towing connection	Brakes
Certification category	SRT		PSV stability	PSV rollover
HVS2	Swept path		PBS	
CERTIFY SRT - 5 AXLE FULL	_ TRAILEF	₹		
	30.000 000 30.000			
Code/standard/rule certified to NZTA RULE 41001:2016		Component	t load rating(s) 4.30m / Y1 = 28	04
			35t / X2 = 3.91r	The second secon
General drawing number(s)			TYPE: UNIFO	
Supporting documents SRT COMPLIANCE CERT # S1	103			
OTT COM LIANCE CERT # 31	103			
Special conditions (optional) AS ABOVE				
NONBOVE				
Certification expiry date (if applicable)	or	Hubodomet	er reading (whichever comes fin	st)
Declaration		Designer's I	D (if different from inspector below	
I the undersigned, declare that I am the heavy vehicle s	pecialist			
inspector identified and I hold a current valid appoin certify that the above mentioned vehicle component's	tment. I	Inspector's s	signature	
manufacture and installation, and this certification of in all respects with the Land Transport Rule: Vehicle St	andards		name (PRINT IN CAPS) THEW CONNOLL	ID number
Compliance 2002 and my appointment. To the best knowledge the information contained in the certificate and correct.			Numbe	
and correct.		25-02	2-2020	728325
				120323
CoF vehicle inspector ID (if applicable)	F vehicle inspecto	r signature (if a	ppplicable) Date	

All fields are mandatory unless otherwise stated.

DOMETT TRUCK & TRAILER LTD

Physical Address 189 Kennedy Road Tauriko Business Estate Tauriko

Postal Address PO Box 9458 Greerton Tauranga

2

PHONE 07 575 5139 07 575 5137 FAX



www.domett-trailers.co.nz

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

Main Road Training Ltd

Address:

SRT Compliance Certificate no:

S1103

Vehicle Identification No.(VIN):

7A9E31018K1023911

Vehicle chassis No:

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

No of axles in rear set:

Deck length of vehicle:

10.40 metres

Maximum height of load or vehicle body:

4.30 metres

Front suspension type:

User Defined

Rear suspension type:

User Defined

I, Matthew Connolly of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type: Uniform density

Description: Assumes load mass is centred midway vertically

between load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.32g This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

At maximum load height of 4.3 metres, the maximum allowable gross mass is 28.3 tonnes.

At maximum gross mass of 35 tonnes, the maximum allowable load height is 3.91 metres. The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m)	
35	3.91	
34	3.96	
33	4.01	
32	4.06	
31	4.11	
30	4.17	
29 (6) (9)	4.24	
28	4.3	

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading		
X1 = 4.3 metres / Y1 = 28 tonnes : Y2 = 35 tonnes / X2 = 3.91 metres	-	

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

Axle	Tyre Size:	Tyre Configuration:
	19.5	Dual
2 5810	19.5	Dual
3	19.5	Dual
₂₆ . 4	19.5	Dual
5	19.5	Dual

Body Style is Standard

Mass and Suspension Data:

Inputs	Front	Rear
Gross mass (kg):	16000	19000
Payload mass (kg):	12460	15280
Tare mass (kg):	3540	3720
Average load bed height (m):	1.195	
Average load height (m):	4.30	
Suspension type:	User Defined	User Defined
Suspension track width (m):	0.94	0.94
Lash (mm):	90	90
Suspension brand/model:	SAF Intradisc IU25/2005RZ	SAF Intradisc IU25/2005RZ
Roll stiffness/axle (Nm/radian):	1200000	1200000
Spring stiffness/spring (N/m):	470000	470000
Roll centre height from axle (m):	0.05	0.05

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed: Momoll

Vehicle Inspector/Inspecting Organisation No MHC

SRT Compliance Certificate no:

Name: Matthew Connolly

Date: 25/2/2020

S1103

