

# Heavy vehicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA Most be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

Heavy vehicle specialist inspector's or manufacturing inspector MATTHEW CONNOLLY	cting organisa	ation's name (PF	RINT IN CAPS)	ID	МНС
Make DOMETT  Con  Model (optional) 2019 E2001 PH  Certification category HVS2	/chassis num A 9 E mponent bein Log bolsters SRT Swept path	2 0 0 g certified:	1 9 K  Chassis  Towing con PSV stability PBS	nnection	Load anchorage Brakes PSV rollover
CERTIFY SRT - 5 AXLE FULL T	RAILE	R			
Code/standard/rule certified to NZTA RULE 41001:2016  General drawing number(s)  Supporting documents SRT COMPLIANCE CERT # S110	99	Y2 =	t load rating(s) 4.20m / Y 35t / X2 = D TYPE: U	4.01m	M DENSITY
Special conditions (optional) AS ABOVE					
Certification expiry date (if applicable)  Declaration  I the undersigned, declare that I am the heavy vehicle special inspector identified and I hold a current valid appointment certify that the above mentioned vehicle component's design manufacture and installation, and this certification components.	nt. I sign,	Designer's I	omoll	sspector below)	
in all respects with the Land Transport Rule: Vehicle Standa Compliance 2002 and my appointment. To the best of knowledge the information contained in the certificate is tand correct.  CoF vehicle inspector ID (if applicable)  CoF vehicle inspector ID (if applicable)	my true	Date	name (PRÍNT IN CA THEW COI	Number	M H C

All fields are mandatory unless otherwise stated.

#### **DOMETT TRUCK & TRAILER LTD**

**Physical Address** 189 Kennedy Road Tauriko Business Estate Tauriko

Postal Address PO Box 9458 Greerton Tauranga

PHONE 07 575 5139 **FAX** 07 575 5137



www.domett-trailers.co.nz

# Static Roll Threshold Compliance Certificate

Name of vehicle owner:

Paengaroa Raod Haulage Ltd

Address:

SRT Compliance Certificate no:

S1109

Vehicle Identification No.(VIN):

7A9E20019K1023932

Vehicle chassis No:

1932

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

2

No of axles in rear set:

Deck length of vehicle:

11.40 metres

Maximum height of load or vehicle body:

4.20 metres

Front suspension type:

**User Defined** 

Rear suspension type:

**User Defined** 

I, Matthew Connolly of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type: Uniform density

Description: Assumes load mass is centred midway vertically

between load bed and load height.

At a max. load height of 4.2 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.34g This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

(a) At maximum load height of 4.2 metres, the maximum allowable gross mass is 31.4 tonnes.

At maximum gross mass of 35 tonnes, the maximum allowable load height is 4.01 metres. The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m)
35	4.01
34	4.06
33	4.1
32	4.16
31	4.21

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading	
X1 = 4.2  metres / Y1 = 31  tonnes; $Y2 = 35  tonnes / X2 = 4.01  metres$ .	

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

## Summary Input Data used for calculation.

#### Tyre Data:

Axle	Tyre Size:	Tyre Configuration:	
	19.5	Dual	
2 5810	19.5	Dual	
3	19.5	Dual	
× 4	19.5	Dual	
5	19.5	Dual	

#### **Body Style is Standard**

### Mass and Suspension Data:

Inputs	Front	Rear	
Gross mass (kg):	16000	19000	
Payload mass (kg):	12840	15100	
Tare mass (kg):	3160	3900	
Average load bed height (m):	1.08		
Average load height (m):	4.20		
Suspension type:	User Defined	User Defined	
Suspension track width (m):	0.94	0.94	
Lash (mm):	90	90	
Suspension brand/model:	SAF Intradisc IU28- 2005RZ	SAF Intradisc IU28- 2005RZ	
Roll stiffness/axle (Nm/radian):	1200000	1200000	
Spring stiffness/spring (N/m):	470000	470000	
Roll centre height from axle (m):	0.05	0.05	

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed: ///www//

Vehicle Inspector/Inspecting Organisation No MHC

SRT Compliance Certificate no:

Name: Matthew Connolly

Date: 4/5/2020

S1109

