

Heavy Vehicle Specialist Certificate

Heavy Vehicle Specialist Inspector and Inspecting Organisation

	The state of the s		TRSP
/ehicle Registration*	VIN / Chassis Numb	100181	0023245
Component being certified:	Chassis Modi		Log Bolsters
Certification Category HUEK	Towing Conn	ection Brakes	SRT
Description of Work CERTIFY	TO BRAI	KE RULE 32	015
Code/Standard Certified to HUBRULE Schedule General Drawing Number(s)		Component Load Rating(s)	
Supporting Documents			
Broke cert No RPI	100815		
PLEU DALVE EXE	MPTION NO	HUB10/2+	6
Broke cert No RPI PREU DALVE EXEN Special Conditions EBS Control - Worning On, and extinguish			
special Conditions EBS Control - Norming On, and extinguish	Light much		ignilio - suite
Special Conditions EBS Control - Worning Or , and extinguish Certification Expiry Date (if applicable) WA Declaration	Light much	Muminale when	gnilio - Switer chicle Neaches 7 er comes first)
Declaration The undersigned, declare that I am the Heavy Specialist Inspector identified above and I hold appointment. I certify that the above mentions	Vehicle d a current valid ed vehicle	Muminale when the Muhamber Reading (whicher	e hicle Neaches 7 er comes first)
Declaration The undersigned, declare that I am the Heavy Specialist Inspector identified above and I hold appointment. I certify that the above mentions component's design, manufacture and installat certification complies in all respects with the I	Vehicle d a current valid ed vehicle tion, and this Land Transport	Nominale when the when the when the blub odometer Reading (whichev Designer's ID (if certified by a man	e hicle Neaches 7 er comes first)
Special Conditions EBS Control - Worning ON, and extinguish Certification Expiry Date (if applicable) WA	Vehicle d a current valid ed vehicle tion, and this Land Transport my Deed of e information	Delegate's Name (PRINT IN CAPS)	e hicle Neaches 7 er comes first)

Form ID

New Zealand Government

LT400

Version No. 01/09



Document: Exemption: B1081600 HVB10/261 Level 9, PSIS House 20 Ballance Street PO Box 5084 Lambton Quay Wellington 6145 New Zealand T 64 4 894 5200 F 64 4 894 3305

www.nzta.govt.nz

EXEMPTION FROM SPECIFIED REQUIREMENTS OF LAND TRANSPORT RULE: Heavy-vehicle Brakes 2006, Rule 32015

Pursuant to Section 166(1) of the Land Transport Act 1998, and pursuant to the powers delegated to me, I Eugene Girardin, Vehicles Unit Engineer, hereby exempt the motor vehicle specified in Schedule 1 hereto from the section of Land Transport Rule: Heavy-vehicle Brakes 2006 (the Rule) listed in Schedule 2, subject to the conditions specified in Schedule 3.

SCHEDULE 1:

Make/Model:

Domett Truck & Trailer Ltd, 4 Axle Full Trailer

VIN/CHASSIS:

7A9D1001810023245

SCHEDULE 2: - Exempted Requirement

Section 2.3(9); The parking brake of a vehicle, whether or not it is being operated as a combination vehicle, must be able to be applied by the driver from the normal driving position using one control only.

SCHEDULE 3: · Conditions of this exemption:

- The vehicle must be fitted with a Wabco park-release emergency valve (PREV), Part Number: 971 002 900 0.
- The vehicle must be fitted with the Wabco PREV name plate, Part Number 971 002 103 4, adjacent to the PREV.
- The vehicle must still be fitted with a parking brake that complies with all parking brake requirements in the Rule other than the requirement in Clause 2.3(9) of the Rule.
- 4) The installation of the PREV must be approved in writing by Transport Specialties Limited (Transpecs) or an NZ Transport Agency appointed HVEK certifier acting on behalf of, and under instruction from, Transpecs; Transpecs must keep a written record of all approvals.
- An HVEK certifier in 4) must be fully trained in end of line procedures for Wabco electronically controlled braking systems
- Transpecs must provide full operator training in the use of the PREV and furnish the operator with full written operating instructions for the PREV.
- 7) The vehicle must not be modified in any way while operating under this exemption.
- 8) This original exemption must be kept by Transport Specialties LTD.
- A copy of this exemption (printed on a silver WABCO Sticker) must be affixed to the exempted vehicle as close to the WABCO PREV as possible.
- 10) The sticker in 8) must be legible and include all printed area's of this original exemption letter.
- 11) This exemption can be revoked at any time in writing by the NZ Transport Agency.

Signed at Wellington this 27th day of July 2010

Eugene Girardin Engineer

Vehicles Unit

NOTICE TO VEHICLE OPERATOR

THIS VEHICLE HAS A BRAKE SYSTEM WHICH HAS BEEN DESIGNED AND FITTED IN ACCORDANCE WITH THE NEW ZEALAND HEAVY VEHICLE BRAKE RULE 32015: SCHEDULE 5.

IF THIS VEHICLE IS OPERATED IN CONJUNCTION WITH NON-CODED VEHICLES, THERE MAY BE OPERATIONAL FACTORS WHICH NEED TO BE TAKEN INTO CONSIDERATION.

PLEASE REFER TO THE CERTIFIER FOR FURTHER INFORMATION.

EXCERPT FROM NZ HEAVY VEHICLE BRAKE RULE 32015

10.1 Responsibilities of operators

A person who operates a vehicle must ensure that the vehicle complies with this Rule

10.2 Responsibilities of repairers

A person who repairs or adjusts a brake must ensure that the repair or adjustment:

- (a) does not prevent the vehicle from complying with the rule: and
- (b) complies with Land Transport Rule: Vehicle Repair 1998.

10.3 Responsibilities of modifiers

A person who modifies a vehicle so as to affect the braking performance of the vehicle must:

- (a) ensure that the modification does not prevent the vehicle from complying with this rule: and
- (b) notify the operator that the vehicle must be inspected and. If necessary, Certified by a person or organisation appointed to carry out specialist inspection and certification of heavy vehicle brakes.

10.5 Responsibilities of manufactures and retailers

A person may manufacture, stock, or offer for sale a brake or its components. Intended for fitting to a vehicle to be used on New Zealand roads, only if that brake or component:

- (a) complies with this Rule: and
- (b) does not prevent a repair to a vehicle, its structure, systems, components and equipment from complying with this Rule.

IF YOU ARE UNSURE ABOUT YOUR RESPONSIBILITIES, PLEASE CONTACT THE VEHICLE MANUFACTURER, OR MYSELF.

COMPLAINTS. Complaints and Warranty issues which relate to Brake Certification will be acknowledged within 7 working days and a resolution proposed within 25 working days. Resolution of complaints and Warranty issues is subject to Transpecs Warranty policy. Customers have the right to appeal to the Land Transport Safety Authority if dissatisfied with a Compliance issue. (refer LTNZ Deed Of Appointment Para 47.4) Land Transport NZ Helpdesk 0800 699 000

R S PRATT (TRSP HVEK)

NOTICE TO VEHICLE OPERATOR

This trailer is equipped with an Electronic Brake System.

To comply with the New Zealand Heavy Vehicle Brake RULE, it must be used only in conjunction with a truck/tractor equipped with a 5 or 7 pin ABS/EBS power supply socket.

Failure to connect to such supply invalidates Brake Rule compliance.

The trailer ABS/EBS warning light on the towing vehicle dashboard must illuminate when the ignition is switched on and extinguish when the vehicle is in motion.

If the light does not illuminate when ignition is switched on, the system must be checked. If the light remains illuminated when the vehicle is in motion, Brake Rule compliance is compromised. Repairs must be made as soon as possible.

NB;

If this vehicle is fitted with mechanical (spring) suspension, the load sense valving has been adjusted to suit exactly the performance of the original springs. In event of replacement being required, original equipment springs **must** be fitted to ensure correct ongoing operation. Fitment of non genuine springs can affect operation and therefore, compliance.

If you are unsure of your responsibilities and/or obligations, please contact either the vehicle manufacturer or myself.

R S Pratt

(TRSP HVEK 09 980 7300)

V	VA	B	CC)		TRAILER EBS-E GGVS/ADR TU							JEH TB 2007 - 019.00			
HERSTEL MANUFAC	TURSE	DO	METT	16				GIO.	P	in1		Pin3		Pi	n4	
TYP			4ΔΥ	TANK	FR			1						-	-	
TYPE	G IDENTINE				arae.			2						-	-	
CHASSIS		7A9D1001810023245						3	ALS2			ALS2				
BRAKE C	RECHNUNGS H	0.	TP50	420				4					100.54	-	-	
POLRADZ	ÀHNEZAHL C-E	of			ABS-System	40/014		5	D	IAG		DIAG		DI	AG	
	DUE DENTÉE ««	d ad	90	90	ABS-System Systems ABS	4S/3M		6								
RSS RSS	Einfachbersifung Single Tire Monte simple			Steering as Essieu vire				7								
	Zmilängsbereifung Twin Tire Monte jumelée		X	Washeringhas Entreman									1	P		
Subs	ystems	-		7	I/O	201.00					H			-	己	
		***				•				00			周干	(bar)		
	pm (bar)		6.5	pr	n (bar)	0.7	2.0		6.5			1001		1.0	Pz	
ACHSE AXLE ESSIEU	F-1 (40)		(0)	14	Oral E	3	(0)		pz		TYP	(mm)	(mm)	TR (daN)	
1	1400	0.6	1.5	700	0 4.6	0.4	1.2		5.8	-	14	64	69	-		
2	1400	0.6	1.5	700	0 4.6	0.4	1.2		5.8	-	14	64	69	_		
3	1200	0.5	1.2	700	0 4.6	0.4	1.3		4.6	-	14/16	64	69	-		
4	1200	0.5	1.2	700	0 4.6	0.4	1.3		4.6	-	14/16	64	69	-		
5	0			0						-	_					

.

٠



P.O.Box 98-971 South Auckland Mail Centre Ronald Stuart Pratt (TRSP)

DATE	19/08/2010	19/08/2010 TYPE APPROVED	SAF4AEBS-E
CERTIFICATE No	RP100815	PREV EXEMPT NO	HVB10/261
VIN No	7A9D1001810023245	3245	
BRAKE CHAMBERS FRONT 14TSE64mm	r 14TSE64mm		
BRAKE CHAMBERS REAR 14/16TSE 64mm LOAD SENSED	14/16TSE 64mm	LOAD SENSED	YES EBS CONTROL
SLACK LENGTH FRONT	Disc	TYRE SIZE FRONT	265/70R19.5
SLACK LENGTH REAR	Disc	TYRE SIZE REAR	265/70R19.5
THIS VEHICLE COMPLIES WITH N.Z.	WITH N.Z	LINING MATERIALFRONT Jurid 539	Jurid 539
HVBR 32015/2 SCHEDULE 5	2	LINING MATERIAL REAR Jurid 539	Jurid 539

System Trailer EBS-E WABCO part number 480 102 064 0 Production date 2010-06-23 Serial number 284009027500 Fingerprint Customer EOL / Customer Development / Flash Program W 029383 / 2010-08-19 ; 000000000 / 0000-00-00 ; 00000000 / 0000-00-00

	VA	B	CC				TR	AIL	ER E	BS-	E	TDB07	700000000000000000000000000000000000000	TB 2007 -	019.00	
MANUPAC GONSTRU	ER TURER CTEUR	DOM	NETT					GIO		Pin1		Pin3			n4	
TYP TYPE			4AX 1	ANKE	R			1								
FAMIRZELIG IDENTINR. CHASSIS NUMBER 7A9D100181002324					3245		2 3 ALS2			_	ALS2					
NUMERO DE CHASSIS					3243		4	,		1	ALS2					
BRAHE CALCULATION NO. CALCUL DE PREINAGE NO. TP50420			AGS Sustan				DIAG		-	DIAG			DIAG			
POLE WHEEL TEETH cd e-f 90 DENTS ROUE DENTÉE c-d e-f 90		90	0 90 ABS-System ASS-System ASS System ABS				6	2.5								
RSS RSS RSS	Einfachbereits Single Tire Monte single	ng		Lonkachse Steering aste Easieu vireur				7	-							
	Zwillingsbereif Tuln Tire Monte jurnelile	ung	X	Kippkritisches Critical Trailer Véhicule critiq										P		
Subs					10					TH-	H		1			
		•••								00		—	8	(0)	(bar)	
	pm (b		6.5	pm	(bar)	0.7	2.0		6.5		ш	쁔	1	1.0	Pz	
ACHSE AXLE ESSIEU	₽ (*g)	8	(0)	1	8	3	(0)		pz		TYP TYPE	(mm)	(mm)	TR (daN)	
1	1400	0.6	1.5	7000	4.6	0.4	1.2		5.8	-	14	64	69			
2	1400	0.6	1.5	7000	4.6	0.4	1.2		5.8	-	14	64	69			
3	1200	0.5	1.2	7000	-		1.3		4.6	-	14/16	64	69			
4	1200	0.5	1.2	7000	4.6	0.4	1.3		4.6	-	14/16	64	69			
5	0			0												
Diag	nostic n	nemo	ry	ОК					War	ning la	mp cont	rol		C	K	
Para	meter s	etting		car	ried o	ut			Stop light power supply				Not tested			
EBS	pressur	e test	t	ОК					Liftin	ng axle	test			N	lot tested	
Redu	indancy	test		ОК								e sensor calibration			n Not tested	
ABS	sensor	assig	nment	ОК	ОК				Distance sensor Axle load calibr					r Not tested		
RTR	check			No	Not tested				Leak test					Not tested		
Immobilizer test Not tested					d											
Manufacturer DOMETT					•				Vehicle ident. no				7A9D	7A9D1001810023245		
Vehicle type 4AX TANKE					IKER		Odomete			er readir				0.0 km		
next Service 0 km								- admitter routing					0.0 km			
Teste	ed by			Ro	n Prat	t					1	16	108	H		
Date 2010-08-19							40.44				1h	111	1 Cl	∕⊘ nature		