

New Zealand Government

## Heavy Vehicle Specialist Certificate

Heavy Vehicle Specialist Inspector and Inspecting Organisation Heavy Vehicle Specialist Inspector's Name (PRINT IN CAPS) BJS SUTTON BRUCE Vehicle Registration\* VIN / Chassis Number 7A9D20019B0023933 Component being certified: Chassis Modification Load Anchorage Log Bolsters **Towing Connection** Brakes SRT Certification Category HVS2 Certify SRT- 4 axle full trailer Description of Work Code/Standard Certified to Component Load Rating(s) N2TA 41001: 2002 X1=4-25m /1=27 tonnes 12 = 32 tonnes / XZ = 4.0m General Drawing Number(s) Supporting Documents SRT Compliance Cet # Sk47 \*Special Conditions Certification Expiry Date (if applicable) Hubodometer Reading (whichever comes first) or Declaration Designer's ID (if certified by a manufacturer) I the undersigned, declare that I am the Heavy Vehicle Specialist Inspector identified above and I hold a current valid Inspector's / Delegate's Signature appointment. I certify that the above mentioned vehicle component's design, manufacture and installation, and this \*Delegate's Name (PRINT IN CAPS) certification complies in all respects with the Land Transport Rule Vehicle Standards Compliance 2002 and my Deed of Appointment. To the best of my knowledge the information Date Number 24/5/2011 contained in this Certificate is true and correct. 342640 COF Vehicle Inspector ID: COF Vehicle Inspector Signature: Date

All fields excluding those marked with \* must be completed before this certificate can be accepted.

LT400

Version No. 01/09

Form ID

DOMETT TRUCK & TRAILER LTD **Hewletts Road** PO Box 5215 Mount Maunganui **NEW ZEALAND** 

PHONE 07 575 5139

07 575 5137



www.domett-trailers.co.nz

# Static Roll Threshold Compliance Certificate

Name of vehicle owner:

K & S Freighters LTD

Address:

3847 Te Awamutu Road,

Cambridge

SRT Compliance Certificate no:

S447

Vehicle Identification No.(VIN):

7A9D20019B0023933

Vehicle chassis No:

933

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

No of axles in rear set:

Deck length of vehicle:

11.3 metres

Maximum height of load or vehicle body:

4.25 metres

Front suspension type:

**User Defined** 

Rear suspension type:

**User Defined** 

I, Bruce Sutton of Domett Truck and Trailer, PO Box 5215, Mt Maunganui certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type: Uniform density Description: Assumes load mass is centred midway vertically between load bed and load height.

At a max. load height of 4.25 metres and a max. allowable gross mass of 32 tonnes, the SRT is 0.33g This vehicle fails to meet the minimum SRT standard of 0.35g. It will meet the standard if:

- At maximum load height of 4.25 metres, the maximum allowable gross mass is 27.6 tonnes.
- At maximum gross mass of 32 tonnes, the maximum allowable load height is 4 metres.

The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m)	
32	4	
31	4.05	
30	4.1	
29	4.15	
28	4.21	
27	4.25	

Note: Calculated load heights greater than the legal limit of 4.25m have been set to 4.25m

Results of SRT test to be displayed on Certificate of Loading	
X1 = 4.25 metres / $Y1 = 27$ tonnes; $Y2 = 32$ tonnes / $X2 = 4$ metres.	y

The type of test carried out to establish this rating was: LTSA SRT Calculator Version 1.32c



## Summary Input Data used for calculation.

#### Tyre Data:

Axle	Tyre Size:	Tyre Configuration:
	19.5	Dual
2	19.5	Dual
3	19.5	Dual
/\\4	19,5	Dual

Body Style is Standard

### Mass and Suspension Data:

Inputs	Front	Rear
Gross mass (kg):	16000	16000
Payload mass (kg):	12720	12700
Tare mass (kg):	3280	3300
Average load bed height (m):	1.	08
Average load height (m):	4.	25
Suspension type:	User Defined	User Defined
Suspension track width (m):	0.94	0.94
Lash (mm):	90	90
Suspension brand/model:	SAF INTRADISC IU28- 2005RZ	SAF INTRADISC IU28- 2005RZ
Roll stiffness/axle (Nm/radian):	1200000	1200000
Spring stiffness/spring (N/m):	470000	470000
Roll centre height from axle (m):	0.05	0.05

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed:

Vehicle Inspector/Inspecting Organisation No BJS

SRT Compliance Certificate no:

Name: Bruce Sutton

Date: 24/5/2011

S447

1 1 0 TE 0 TO

E (0) E