

Heavy vehicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

KYLE BOSSELMANN	ig mapeeum	ig Oigo	illisatio	III S Halli	S (FISH)	T IN CAPS)				ID	K	DB	
Plate number (optional)	VIN/ch			2 0	0	1 5	P	2	0	2	3	3 9	4
Make DOMETT	Compo	onent l	being c	ertified:		Chas	sis	-				oad an	chorage
Model (optional) 2023 E2001 PH	Lo	g bols	ters			Towi	ng con	nectio	n			Brakes	
Certification category	X	RT				PSV s	stabilit	у			JF	PSV roll	over
HVS2	Sw	vept pa	ath			PBS							
Description of work CERTIFY SRT - 5 AXLE FU	JLL TF	RAII	LER										
Code/standard/rule certified to NZTA RULE 41001:2016				X1	= 4	oad ratir 4.30n	1 / Y						
General drawing number(s)				Y2		35t / 2							
Supporting documents	S1405			LC	AD) TYP	E: l	JNIF	-0	RM	I DE	ENSI	TY
Supporting documents SRT COMPLIANCE CERT # 5	S1405			LC	OAD	TYP	E: U	JNIF	-0	RM	I DE	ENSI	TY
Supporting documents SRT COMPLIANCE CERT # S Special conditions (optional) AS ABOVE Certification expiry date (if applicable)	S1405		or		5	r reading					IDE	ENSI	TY
Supporting documents SRT COMPLIANCE CERT # : Special conditions (optional) AS ABOVE Certification expiry date (if applicable) Declaration I the undersigned, declare that I am the heavy vehicle	e specialisi) '		Hubodo J Designe	mete	r reading	(whiche	ever com	es firs:	Ð	IDE	ENSI	TY
Special conditions (optional) AS ABOVE Certification expiry date (if applicable) Declaration I the undersigned, declare that I am the heavy vehicle inspector identified and I hold a current valid appoint certify that the above mentioned vehicle component manufacture and installation, and this certification or in all respects with the Land Transport Rule: Vehicle Scompliance 2002 and my appointment. To the best of the service of the se	e specialist tment. I t's design, omplies Standards of my) '		Hubodo Designe Inspecto	mete	r reading (if different gnature	(whiche	ever com	es firs	Ð		number D E	
Supporting documents SRT COMPLIANCE CERT # S Special conditions (optional) AS ABOVE Certification expiry date (if applicable) Declaration I the undersigned, declare that I am the heavy vehicle inspector identified and I hold a current valid appoint certify that the above mentioned vehicle component manufacture and installation, and this certification or in all respects with the Land Transport Rule: Vehicle S	e specialist tment. I t's design, omplies Standards of my) '		Hubodo Designe Inspecto KY Date	mete pr's ID pr's si pr's na	r reading (if different gnature	(whiche	spector b	es firs	D Tr	, ID	number	

Te Käwanatanga o Aotearoa New Zealand Government

All fields are mandatory unless otherwise stated.

Form ID

LT400

Version No. 10/23

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

SLR Haulage

Address:

SRT Compliance Certificate no:

S1405

Vehicle Identification No.(VIN):

7A9E20015P2023394

Vehicle chassis No:

2394

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

2

No of axles in rear set:

Deck length of vehicle:

11.25 metres

Maximum height of load or vehicle body:

4.3 metres

Front suspension type:

User Defined

Rear suspension type:

User Defined

I, Kyle Bosselmann of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type:

or (b)

Uniform density

Description:

Assumes load mass is centred midway vertically between

load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.33g

This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

At maximum load height of 4.3 metres, the maximum allowable gross mass is 29.6 tonnes. (a) At maximum gross mass of 35 tonnes, the maximum allowable load height is 4 metres.

The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m)
35	4
34	4.05
33	4.1
32	4.15
31	4.21
30	4.27
29	4.3

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading X1 = 4.3 metres / Y1 = 29 tonnes; Y2 = 35 tonnes / X2 = 4 metres.

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

Axle	Tyre Size:	Tyre Configuration:		
1	19.5	Dual		
2	19.5	Dual		
3	19.5	Dual		
4	19.5	Dual		
5	19.5	Dual		

Body Style is Standard

Mass and Suspension Data:

Inputs	Front	Rear
Gross mass (kg):	16000	19000
Payload mass (kg):	13010	15110
Tare mass (kg):	2990	3890
Average load bed height (m):	1.0)75
Average load height (m):	4	.3
Suspension type:	User Defined	User Defined
Suspension track width (m):	0.94	0.94
Lash (mm):	90	90
Suspension brand/model:	SAF IU28/2005RZ	SAF IU28/2005RZ
Roll stiffness/axle (Nm/radian):	1200000	1200000
Spring stiffness/spring (N/m):	470000	470000
Roll centre height from axle (m):	0.05	0.05

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed:

Vehicle Inspector/Inspecting Organisation No KDB

SRT Compliance Certificate no:

Name: Kyle Bosselmann

Date: 4/12/2023

S1405